PTO/SB/08A (02-03)

Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE ed to respond to a collection of information unless it contains a valid OMB control number. Under the Paperwork Reduction Act o

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Complete if Known			
Application Number	10/672,677		
Filing Date	September 26, 2003		
First Named Inventor	Robert R. Bly		
Art Unit	3673 3751		
Examiner Name	Unknown NouvEN		
Attorney Docket Number	12873-04651		

			Ü. S. PATENT	DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ^{2 (f known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
SON		US- 3,822,051	07-02-1974	Karapita	
<u> </u>		US-			
		US-			

·		FOREIGN	PATENT DOCU	MENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
		Country Code ³ "Number ⁴ "Kind Code ⁵ (# known)	MM-DD-YYYY		Or Relevant Figures Appear	T ⁶
	ļ					_
			· · · · · · · · · · · · · · · · · · ·			
		·				
					<u> </u>	

Examiner		01	Date	\sim
Signature	Min	1/1/1/	Considered	1 8/9/04
	1 Just		I	

*EXAMINER: Initial if reference considered, whether of hot distion is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08B (02-03)
Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449/PTO				Complete if Known		
Jupanu	10 101 101111 1773/F 10			Application Number	10/672,677	
INFO	ORMATION	DIS	CLOSURE	Filing Date	September 26, 2003	
STA	TEMENT E	BY A	PPLICANT	First Named Inventor	Robert R. Bly	
				Art Unit	3673 375/	
	(Use as many she	iets as n	ecessary)	Examiner Name	Unknown NGUTEN	
Sheet	2	of	2	Attorney Docket Number	12873-04651	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
H	``	Invacare Corporation - Product Catalog Printable Detail Page for Toilet Safety Frame; http://www.invacare.com/cgi-bin/imhqprd/inv_catalog/prod_cat_print_detail.jsp?s=0&oid, Accessed from the World Wide Web March 26, 2004, p. 1-3	_
SA		Invacare Toilet Safety Frame Model 1392: Assembly, Installation and Operating Instructions, www.invacare.com, Accessed from the World Wide Web March 26, 2004, p.1-8	
Da		Invacare Personal Care Products Catalog, www.invacare.com, Accessed from the World Wide Web march 26, 2004, p. 1-28	

Signature Considered 8/9/34		Date Considered	8/9/04
-----------------------------	--	--------------------	--------

^{*}EXAMINER: Initial if reference considered, whether opnot citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next computication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.